


No. CH-11

Unit : mm




MODEL	TIRE	WHEEL	GROUND HEIGHT, FRAME UPPER SURFACE				FR Tr	RR Tr	Tr	Td
			Hf0	Hf	Hr	Hr0				
GH8JJ1G-XHU	F:295/80R22.5 R:11R22.5	22.5X8.25	1005	1010	1030	1040	2050	1835	2445	330
		22.5X8.25 ALLOY	1005	1010	1030	1040	2070	1855	2465	330
	275/70R22.5 148/145	22.5X8.25	965	970	985	990	2050	1835	2445	330
		22.5X8.25 ALLOY	965	970	985	990	2070	1855	2460	330
	11R22.5 148/145	22.5X8.25	1010	1015	1030	1035	2050	1835	2445	330
		22.5X8.25 ALLOY	1010	1015	1030	1035	2070	1855	2465	330

NOTE: 1.Figures marked "\*" dimensions are measured in parallel with the surface of the ground.  
 2.The dimension of tire to be mentioned in above table shows design figure according to JATMA or ETRTO standard.

No. CH-12

Unit : mm




MODEL	TIRE	WHEEL	GROUND HEIGHT, FRAME UPPER SURFACE				FR Tr	RR Tr	Tr	Td
			Hf0	Hf	Hr	Hr0				
GH8JJ1G-WHU	F:295/80R22.5 R:11R22.5	22.5X8.25	1000	1005	1030	1040	2050	1835	2445	330
		22.5X8.25 ALLOY	1000	1005	1030	1040	2070	1855	2465	330
	275/70R22.5 148/145	22.5X8.25	960	965	985	995	2050	1835	2445	330
		22.5X8.25 ALLOY	960	965	985	995	2070	1855	2460	330
	11R22.5 148/145	22.5X8.25	1005	1010	1030	1040	2050	1835	2445	330
		22.5X8.25 ALLOY	1005	1010	1030	1040	2070	1855	2465	330

NOTE: 1. Figures marked "\*" dimensions are measured in parallel with the surface of the ground.  
 2. The dimension of tire to be mentioned in above table shows design figure according to JATMA or ETRTO standard.

No. CH-13

Unit : mm










No. CH-16

Unit : mm




MODEL	TIRE	WHEEL	GROUND HEIGHT, FRAME UPPER SURFACE				FR Tr	RR Tr	Tr	Td
			Hf0	Hf	Hr	Hr0				
GH8JS1G-XHU	F:295/80R22.5 R:11R22.5	22.5X8.25	1000	1005	1030	1045	2050	1835	2445	330
		22.5X8.25 ALLOY	1000	1005	1030	1045	2070	1855	2465	330
	275/70R22.5 148/145	22.5X8.25	960	965	985	995	2050	1835	2445	330
		22.5X8.25 ALLOY	960	965	985	995	2070	1855	2460	330
	11R22.5 148/145	22.5X8.25	1005	1010	1030	1040	2050	1835	2445	330
		22.5X8.25 ALLOY	1005	1010	1030	1040	2070	1855	2465	330

NOTE: 1. Figures marked "\*" dimensions are measured in parallel with the surface of the ground.  
 2. The dimension of tire to be mentioned in above table shows design figure according to JATMA or ETRTO standard.

No. CH-17

Unit : mm




MODEL	TIRE	WHEEL	GROUND HEIGHT, FRAME UPPER SURFACE				FR Tr	RR Tr	Tr	Td
			Hf0	Hf	Hr	Hr0				
GH8JS1G-WHU	F:295/80R22.5 R:11R22.5	22.5X8.25	995	1000	1030	1045	2050	1835	2445	330
		22.5X8.25 ALLOY	995	1000	1030	1045	2070	1855	2465	330
	275/70R22.5 148/145	22.5X8.25	955	960	985	1000	2050	1835	2445	330
		22.5X8.25 ALLOY	955	960	985	1000	2070	1855	2460	330
	11R22.5 148/145	22.5X8.25	1000	1005	1030	1045	2050	1835	2445	330
		22.5X8.25 ALLOY	1000	1005	1030	1045	2070	1855	2465	330

NOTE: 1. Figures marked "\*" dimensions are measured in parallel with the surface of the ground.  
 2. The dimension of tire to be mentioned in above table shows design figure according to JATMA or ETRTO standard.

No. CH-18

Unit : mm




MODEL	TIRE	WHEEL	GROUND HEIGHT, FRAME UPPER SURFACE				FR Tr	RR Tr	Tr	Td
			Hf0	Hf	Hr	Hr0				
GH8JT1G-XHU	F:295/80R22.5 R:11R22.5	22.5X8.25	1000	1005	1030	1045	2050	1835	2445	330
		22.5X8.25 ALLOY	1000	1005	1030	1045	2070	1855	2465	330
	275/70R22.5 148/145	22.5X8.25	960	965	985	995	2050	1835	2445	330
		22.5X8.25 ALLOY	960	965	985	995	2070	1855	2460	330
	11R22.5 148/145	22.5X8.25	1005	1010	1030	1040	2050	1835	2445	330
		22.5X8.25 ALLOY	1005	1010	1030	1040	2070	1855	2465	330

NOTE: 1.Figures marked "\*" dimensions are measured in parallel with the surface of the ground.  
 2.The dimension of tire to be mentioned in above table shows design figure according to JATMA or ETRTO standard.

No. CH-19

Unit : mm



MODEL	TIRE	WHEEL	GROUND HEIGHT, FRAME UPPER SURFACE				FR Tr	RR Tr	Tr	Td
			Hf0	Hf	Hr	Hr0				
GH8JT1G-WHU	F:295/80R22.5 R:11R22.5	22.5X8.25	995	1000	1030	1045	2050	1835	2445	330
		22.5X8.25 ALLOY	995	1000	1030	1045	2070	1855	2465	330
	275/70R22.5 148/145	22.5X8.25	955	960	985	1000	2050	1835	2445	330
		22.5X8.25 ALLOY	955	960	985	1000	2070	1855	2460	330
	11R22.5 148/145	22.5X8.25	1000	1005	1030	1045	2050	1835	2445	330
		22.5X8.25 ALLOY	1000	1005	1030	1045	2070	1855	2465	330

NOTE: 1. Figures marked "\*" dimensions are measured in parallel with the surface of the ground.  
 2. The dimension of tire to be mentioned in above table shows design figure according to JATMA or ETRTO standard.